Author Index of Volume 38

Anani, A., 351, 363
Appel, P. W., 281, 287
Appelbaum, J., 295
Asai, K., 335
Asakura, H., 317

Balbi, J. H., 239
Balbi, N., 239
Billard, G., 3
Böhnstedt, W., 103
Bolwin, K., 303
Bydder, E. L., 153

Chen, R., 39
Chiba, N., 317
Culpin, B., 63

Döring, H., 261
Durastanti, J. F., 239
Edwards, D. B., 281, 287

Fischer, W., 261
Franke, R., 327
Fuchida, K., 117, 197

Gamburcev, S., 327
Garche, J., 261
Gardiner, L. E., 197
Gillian, W. F., 49, 197
Girolami, G., 239

Hammond, B., 287
Hardy, D., 75
Hauff, S., 303
Heruela, C. S., 171
Herzog, S., 327
Hollenkamp, A. F., 63
Huggins, R. A., 351, 363

Iliev, I., 327
Iwakura, C., 335

Kaisheva, A., 327
Kang, H. Y., 143
Kantti, E., 273
Kim, I., 143
Kobayakawa, K., 317
Kohno, T., 335
Kolisnyk, P. S., 59

Lahav, D., 295
Lam, L. T., 87, 373
Lambert, D. W. H., 197
Lee, B.-K., 185

Manders, J. E., 197
Mani, R. S., 23
Marx, R., 75
Matsuoka, M., 335
Mejerovich, J., 345
Melki, T., 379
Mills, J. A., 111, 137
Min, G., 253
Moseley, P. T., 373

Nakashima, H., 117
Nakazawa, Y., 123
Nam, C., 15
Neumann, V., 327

Oh, S. H., 143
Ohms, D., 327
Orenga, P., 239
Ozgun, H., 87

Peat, R., 381

Rand, D. A. J., 63, 87, 197, 373
Rice, D. M., 49
Riolacci, C., 239
Rowe, D. M., 253

Sato, Y., 317
Singer, R. J., 161
Sivaramaiah, G., 165
Subramanian, V. R., 165

Tada, K., 317
Takahashi, M., 317
Tedjar, F., 379
Tsujino, N., 123

Vecchio-Sadus, A. M., 87
Vilhunen, J. K., 273
Vincze, A. M., 59

Weiss, A., 103
Wiesener, K., 261, 327
Witehira, P., 153
Wong, J., 35

Yamada, T., 123
Yoshida, K., 317
Yoshida, T., 317

Zerroual, L., 379

Author Index of Volume 38

Anani, A., 351, 363
Appel, P. W., 281, 287
Appelbaum, J., 295
Asai, K., 335
Asakura, H., 317

Balbi, J. H., 239
Balbi, N., 239
Billard, G., 3
Böhnstedt, W., 103
Bolwin, K., 303
Bydder, E. L., 153

Chen, R., 39
Chiba, N., 317
Culpin, B., 63

Döring, H., 261
Durastanti, J. F., 239
Edwards, D. B., 281, 287

Fischer, W., 261
Franke, R., 327
Fuchida, K., 117, 197

Gamburcev, S., 327
Garche, J., 261
Gardiner, L. E., 197
Gillian, W. F., 49, 197
Girolami, G., 239

Hammond, B., 287
Hardy, D., 75
Hauff, S., 303
Heruela, C. S., 171
Herzog, S., 327
Hollenkamp, A. F., 63
Huggins, R. A., 351, 363

Iliev, I., 327
Iwakura, C., 335

Kaisheva, A., 327
Kang, H. Y., 143
Kantti, E., 273
Kim, I., 143
Kobayakawa, K., 317
Kohno, T., 335
Kolisnyk, P. S., 59

Lahav, D., 295
Lam, L. T., 87, 373
Lambert, D. W. H., 197
Lee, B.-K., 185

Manders, J. E., 197
Mani, R. S., 23
Marx, R., 75
Matsuoka, M., 335
Mejerovich, J., 345
Melki, T., 379
Mills, J. A., 111, 137
Min, G., 253
Moseley, P. T., 373

Nakashima, H., 117
Nakazawa, Y., 123
Nam, C., 15
Neumann, V., 327

Oh, S. H., 143
Ohms, D., 327
Orenga, P., 239
Ozgun, H., 87

Peat, R., 381

Rand, D. A. J., 63, 87, 197, 373
Rice, D. M., 49
Riolacci, C., 239
Rowe, D. M., 253

Sato, Y., 317
Singer, R. J., 161
Sivaramaiah, G., 165
Subramanian, V. R., 165

Tada, K., 317
Takahashi, M., 317
Tedjar, F., 379
Tsujino, N., 123

Vecchio-Sadus, A. M., 87
Vilhunen, J. K., 273
Vincze, A. M., 59

Weiss, A., 103
Wiesener, K., 261, 327
Witehira, P., 153
Wong, J., 35

Yamada, T., 123
Yoshida, K., 317
Yoshida, T., 317

Zerroual, L., 379

Subject Index of Volume 38

Age hardening
of grid alloys and its effect on battery manufacturing processes, 49
Anode
Zn composite anode for batteries with solid electrolyte, 379
Antimony
low-Sb–Pb alloy strip production, 59
Asian battery industry
vision for Asian battery industry, 3
Automobile(s)
intelligent battery systems for automobiles, 153
Automobile use
development of sealed lead/acid battery 'SB60-S4' for automobile use, 123
Automotive battery separators
from leaf-type to pockets; development trends in Western Europe for automotive battery separatos, 103

Battery industry
status of lead/acid
in India, 23
in Korea, 15
in Malaysia, 35
in Taiwan, 39
Battery industry
Status of lead/acid
in India, 23
in Korea, 15
in Malaysia, 35
in Taiwan, 39
vision for Asian, 3
Battery manufacturing processes
age-hardening of grid alloys and its effect on battery manufacturing processes, 49
Battery oxide
new developments in battery oxide production, 75
Battery plants
occupational health programme for Pb workers in battery plants, 185
Battery separators
from leaf-type to pockets; development trends in Western Europe for automotive battery separators, 103
Battery systems
intelligent battery systems for automobiles, 153
Battery testing
new dimensions in, 111

Cadmium
internal impedance of Ni–Cd batteries with applications to space, 295
Carbon
influence of metal ions on electrocatalytic oxygen reduction of C materials prepared from pyrolyzed polyacrylonitrile, 327
Car manufacturers
design-in — working with car manufacturers, 161
Cathodic properties
improvement of solid electrolyte conductivity and cathodic properties of $Li|LiI\cdot H_2O(SiO_2)|PbI_2$ electrochemical cell, 345
Charge/discharge performance
surface modification of metal hydride negative electrodes and their charge/discharge performance, 335
Computer formation
of sealed lead/acid batteries, 137
Conductivity model
for lead/acid battery electrodes discharged at low rates, 281
Corrosion layers
use of scanning photocurrent imaging to study distribution of Pb monoxide in corrosion layers on lead/acid battery grids, 373
Cycle-life testing
accelerated cycle-life testing of small sealed lead/acid batteries, 143

Design-in
working with car manufacturers, 161

Electric power generation
optimisation of thermoelectric module geometry for 'waste heat' electric power generation, 253

Electric vehicles
overview of development of lead/acid traction batteries for EVs in India, 165
Electrochemical behaviour
influence of H_3PO_4 on electrochemical behaviour of PbO_2 electrode, 261
Electrochemical cell
improvement of solid electrolyte conductivity and cathodic properties of $Li|LiI \cdot H_2O(SiO_2)|PbI_2$ electrochemical cell, 345
Electrode(s)
conductivity model for lead/acid battery electrodes discharged at low rates, 281
influence of H_3PO_4 on electrochemical behaviour of PbO_2 electrode, 261
Electrodes
multinary alloy electrodes for solid state batteries
new Li–Si–Mg alloy negative electrode material for use in high energy density rechargeable Li cells, 363
multinary alloy electrodes for solid state batteries
phase diagram approach for selection and storage properties determination of candidate electrode materials, 351
surface modification of metal hydride negative electrodes and their charge/discharge performance, 335
Electrolyte
composite anode for batteries with solid electrolyte, 379
Electrolyte conductivity
improvement of solid electrolyte conductivity and cathodic properties of $Li|LiI \cdot H_2O(SiO_2)|PbI_2$ electrochemical cell, 345

Gas evolution behavior
of Zn alloy powder in KOH solution, 317
Geosynchronous space missions
system mass optimization of hydrogen/oxygen based regenerative fuel cells for geosynchronous space missions, 303
Glass microspheres
evaluation of hollow, glass microspheres used as additive in negative, lead/acid battery paste, 287
Grid alloys
age-hardening of grid alloys and its effect on battery manufacturing processes, 49

Health programme
occupational health programme for lead workers in battery plants, 185
Hydrogen
system mass optimization of hydrogen/oxygen based regenerative fuel cells for geosynchronous space missions, 303

India
overview of development of lead/acid traction batteries for electric vehicles in India, 165
status of lead/acid battery industry in India, 15
Internal impedance
of Ni–Cd batteries with applications to space, 295

Japan
history and current status of valve-regulated lead/acid batteries in Japan, 117

Korea
status of lead/acid battery industry in Korea, 15

Lead
improvement of solid electrolyte conductivity and cathodic properties of $Li|LiI_2 \cdot H_2O(SiO_2)|PbI_2$ electrochemical cell, 345
low-Sb–Pb alloy strip production, 59
Lead/acid battery(ies)
accelerated cycle-life testing of small sealed lead/acid batteries, 143
computer formation of sealed lead/acid batteries, 137
development of sealed lead/acid battery 'SB60-S4' for automobile use, 123
effect of Sn on performance of positive plates in lead/acid batteries, 63
history and current status of valve-regulated lead/acid batteries in Japan, 117
towards improved manufacture of lead/acid batteries; panel discussions, 197

Lead/acid battery active masses
influence of stand time on tribasic and tetrabasic Pb sulfate containing lead/acid battery active masses, 273
Lead/acid battery electrodes
conductivity model for lead/acid battery electrodes discharged at low rates, 281
Lead/acid battery grids
use of scanning photocurrent imaging to study distribution of Pb monoxide in corrosion layers on lead/acid battery grids, 373
Lead/acid battery industry
status of
in India, 23
in Korea, 15
in Malaysia, 35
in Taiwan, 39
Lead/acid battery paste
evaluation of hollow, glass microspheres used as additive in negative, lead/acid battery paste, 287
Lead/acid battery plates
conversion of tetrabasic Pb sulfate to Pb dioxide in lead/acid battery plates, 87
Lead/acid traction batteries
overview of development of lead/acid traction batteries for electric vehicles in India, 165
Lead dioxide
conversion of tetrabasic Pb sulfate to Pb dioxide in lead/acid battery plates, 87
influence of H_3PO_4 on electrochemical behaviour of PbO_2 electrode, 261
Lead monoxide
use of scanning photocurrent imaging to study distribution of Pb monoxide in corrosion layers on lead/acid battery grids, 373
Lead sulfate
conversion of tetrabasic Pb sulfate to Pb dioxide in lead/acid battery plates, 87
influence of stand time on tribasic and tetrabasic Pb sulfate containing lead/acid battery active masses, 273
Lead workers
occupational health programme for Pb workers in battery plants, 185
Lithium
improvement of solid electrolyte conductivity and cathodic properties of $Li|LiI \cdot H_2O(SiO_2)|PbI_2$ electrochemical cell, 345
new Li–Si–Mg alloy negative electrode material for use in high energy density rechargeable Li cells, 363

Magnesium
new Li–Si–Mg alloy negative electrode material for use in high energy density rechargeable Li cells, 363
Malaysia
status of lead/acid battery industry in Malaysia, 35
Metal hydride
surface modification of metal hydride negative electrodes and their charge/discharge performance, 335
Metal ions
influence of metal ions on electrocatalytic oxygen reduction of C materials prepared from pyrolyzed polyacrylonitrile, 327

Nickel
internal impedance of Ni–Cd batteries with applications to space, 295

Oxygen
influence of metal ions on electrocatalytic oxygen reduction of C materials prepared from pyrolyzed polyacrylonitrile, 327
system mass optimization of hydrogen/oxygen based regenerative fuel cells for geosynchronous space missions, 303

Phase diagram
multinary alloy electrodes for solid state batteries; phase diagram approach for selection and storage properties determination of candidate electrode materials, 351
Philippines
affordable remote-area power supply in the Philippines, 171
Phosphoric acid
influence of H_3PO_4 on electrochemical behaviour of PbO_2 electrode, 261
Polyacrylonitrile
influence of metal ions on electrocatalytic oxygen reduction of C materials prepared from pyrolyzed, 327
Positive plates
effect of Sn on performance of positive plates in lead/acid batteries, 63

Regenerative fuel cells
system mass optimization of hydrogen/oxygen based RFCs for geosynchronous space missions, 303
Remote-area power supply
affordable RAPS in the Philippines, 171

Scanning photocurrent imaging
using of scanning photocurrent imaging to study distribution of Pb monoxide in corrosion layers on lead/acid battery grids, 373
Sealed lead/acid battery(ies)
accelerated cycle-life testing of small sealed lead/acid batteries, 143
computer formation of sealed lead/acid batteries, 137
development of sealed lead/acid battery 'SB60-S4' for automobile use, 123
Silicon
improvement of solid electrolyte conductivity and cathodic properties of $Li|LiI \cdot H_2O(SiO_2)|PbI_2$ electrochemical cell, 345
new Li–Si–Mg alloy negative electrode material for use in high energy density rechargeable Li cells, 363
Simplified modeling
of solar cell network distributor (in French), 239
Solar cell network distributor
simplified model of (in French), 239
Solid state batteries
multinary alloy electrodes for solid state batteries
new Li–Si–Mg alloy negative electrode material for use in high energy density rechargeable Li cells, 363
phase diagram approach for selection and storage properties determination of candidate electrode materials, 351
Space
internal impedance of Ni–Cd batteries with applications to space, 295
Space missions
system mass optimization of hydrogen/oxygen based regenerative fuel cells for synchronous space missions, 303
Stand time
influence of stand time on tribasic and tetrabasic Pb sulfate containing lead/acid battery active masses, 273
Storage properties
multinary alloy electrodes for solid state batteries; phase diagram approach for selection and storage properties determination of candidate electrode materials, 351
Surface modification
of metal hydride negative electrodes and their charge/discharge performance, 335
System mass optimization
of hydrogen/oxygen based regenerative fuel cells for geosynchronous space missions, 303

Taiwan
status of lead/acid battery industry in Taiwan, 39
Thermoelectric module geometry
optimisation of thermoelectric module geometry for 'waste heat' electric power generation, 253
Tin
effect of Sn on performance of positive plates in lead/acid batteries, 63

Valve-regulated lead/acid batteries
history and current status of valve-regulated lead/acid batteries in Japan, 117

Waste heat
optimisation of thermoelectric module geometry for 'waste heat' electric power generation, 253
Western Europe
from leaf-type to pocket; development trends in Western Europe for automotive battery separators, 103

Zinc
gas evolution behavior of Zn alloy powder in KOH solution, 317
Zn composite anode for batteries with solid electrolyte, 379